

Carpet and Fibre Types

Electrodry Carpet Technician Training

Module 2

Natural Fibres

Wool

- Short Fibre
- Absorbs up to 80% of it
- May shrink if wet
- Very resilient
- Easily absorbs permanent dyes
- Smells when wet often referred to as wet dog smell
 - This is caused by the sulphur reacting with moisture
 - This can be compounded by moisture in the carpet cleaning activating any mould/yeast present in the dirty wool carpet

Natural Fibres

<u>Silk</u>

- Mainly used in rugs
- Higher lustre
- Very absorbent
- Silk rug are often subject to dye migration
- Pile can be re-set/distorted through heat
- Affected high alkaline chemicals
- Great care is required when cleaning silk rugs
 - Silk rugs must be cleaned by hand and should not be attempted without appropriate training

Natural Fibres

Sisal

- Sisal is a naturally occurring fibre that is obtained from the three-foot leaves of the Agave plane
- Looks like rope matting
- Used as a durable face yarn
- Will shrink if wet
- Is sometimes dyed a red or green shade. The dye does not hold well and may come off with cleaning
- Many wool carpets are now made to look like a sisal weave and are generically referred to as a wool sisal carpets (tight high-low loop pile with a woven effect)

Man Made Fibres

<u>Nylon</u>

- Most common man made fibre
- Long yard
- Absorbs up to 10% of its mass in moisture
- Very resilient
- Can be made thick or thin as desired and dyed to any colour
- Can be dyed with
 - Acid Dyes dye applied after manufacturer
 - Solution dyed dye is added to nylon solution before it is extruded into a fibre

The Nylon Generations

"First Generation"	"Second	''Third	"Fourth	"Fifth Generation"
Nylon	Generation" Nylon	Generation" Nylon	Generation" Nylon	Nylon
Yarns performed well, but magnified soil causing rapid apparent soiling of fibre	Yarns are either delustered or have an altered cross section to improve "soil hiding" ability of the fibre	in static control. Since nylon produces very strong static, especially in low humidity situations,	had fluorochemicals applied to it. Fluorochemicals help to repel soil, oil and water-based stains by lowering the surface energy of the fibres.	the yarn. The Nylon in the Fifth Generation has been treated with an

Man Made Fibres

6th Generation Nylon

- Has very good stain resistant properties (acid dye blocker and coatings similar to E-Gard)
- Often comes with a stain resistant warranty
- Stain repellence and dye blockers wear away with traffic and general use
- Any warranties on 6th generation carpets exclude stains created by products such as mustard (disperse dye), hot tea or coffee, blood, vomit, urine, faeces, bleaches, plant food, drain cleaners, non-food substances, non-beverage substances

Man Made Fibres

Solution Dyed Nylon

- Colourfast and won't fade as the colour is all the way through the fibre,
 not just applied to the outside of the fibre
- Comes with a stain resistant warranty but is not impervious to stains.
 The same fluro coatings (E-Gard type products) are used as is applied to 6th gen nylon carpet
- Warranties on solution dyed carpet are more comprehensive than for standard 6th gen nylon carpets, but will often include exclusions for stains such as acid dyes, juices, urine and caustics.

Man Made Fibre – Polypropylene (olefin)

- An extrusion dyed fibre the dye is mixed into the plastic in the manufacturing process. The means there are no dye sites
- Predominantly used for commercial carpet and thick rugs
- Low moisture absorbency (up to 2%)
- Resists bleaching and permanent dyes
- Fibres can be re-set with heat. Use of very hot pads can cause a "pad mark"
- Attracts oil and lacks resilience. Tracking can be very hard to remove
 - Requires high pH cleaning products to break down oily soils to successfully clean tracked areas

Man Made Fibres – Polyester (Triexta)

New type of polyester fibre


- Sometimes advertised as corn carpet as some versions (such as Smartstrad)
 are made with 30% corn/vegetable components
- Comes with a stain resistance warranty of up to 15 years depending on the brand. Very easy to clean.
- Soft luxurious feel
- Long term durability is still unknown

Man Made Fibres - Comparrison


Performance Chart	Olefin PTT	Polyester	Nylon	Solution Dyed Nylon	Triexta Smartstrand Ultra
STAIN RESISTANCE	Topically Applied	Built In	Topically Applied	Built In Colorfast	Built In Permanent
STYLES AND AVAILABILITY	Moderate Commercial	Vast Selection	Vast Selection	Growing Selections	Very Vast Selection
SOFTNESS	Soft	Incredibly Soft	Incredibly Soft	Luxury Soft	Luxury Soft
STRENGTH & DURABILITY	Good	Great	Excellent	Exceptional	Exceptional
MOISTURE & SPILL RESISTANCE	Good	Excellent	Good	Great	Exceptional
PRICE	\$-\$\$	\$-\$\$\$	\$\$-\$\$\$	\$\$\$-\$\$\$\$	\$\$- \$ \$\$\$

Carpet Style - Woven

- Woven' refers to a carpet or rug that is made through the process of weaving. The front and back of the woven carpet are formed at the same time
- Typical woven carpets are Wilton and Axminster





WOVEN CARPET



Carpet Style - Woven


- Wilton and Axminster carpets have a wool face yarn and cotton weft yearn (cross yarn)
- Long lasting
- Regularly used in hotels and clubs given it's wear-ability and fire rating






Carpet Styles – Fusion bonded

- Fusion bonded carpets are produced by implanting the face yarns directly into a liquid vinyl or rubber that also forms the backing
- It allows the yarns to more closely packed than in either weaving or tufting processes, resulting in extreme density of fibre
- Fusion bonded carpets can be either cut or looped pile
- Typically used for carpet tiles




Carpet Styles – Flotex / Walkatex

- A fusion bonded carpet
- Short fibers are dropped onto a hot liquid which is cooled and sets to become the carpet backing
- Non-slip large areas should be cleaned with hot water extraction
- Highly stain resistant



Carpet Styles – Tufted Carpet


- Most carpets manufactured today are tufted carpets
- In production, yarns are stitched into a backing material to form loop-pile, cut-pile or cut and loop pile carpet
- Tufted carpet construction consists of face yarn and primary backing (usually polypropylene),
 adhesive (latex glue) and secondary backing (jute or polypropylene)



Carpet Styles – Tufted Carpet

The production process is:

- The face yarn (usually wool, nylon or polypropylene) is sewn into primary backing (usually polypropylene)
- The primary backing is glued to a secondary backing using a latex glue. The secondary backing, usually either jute or polypropylene gives structural strength to the carpet



Carpet Styles – Tufted Carpet

Cut-Pile Design is where the face of the carpet is composed of individual, levelled cut pieces of yarn

Loop-Pile Design refers to a carpet style where the pile surface consists of uncut loops. The loops can vary in height

Cut and Loop Pile Designs refer to styles that include elements of both cut and loop pile design



Cut & Loop




Level Loop

Delamination


- When the primary and secondary backing separate. This usually occurs when the latex glue breaks down
- Results in ripple or wave effect in the carpet





Incorrectly Laid Carpet

- Some carpets are laid without sufficient tension. This is usually because they are laid with a knee kicker instead of a power stretcher.
- Over time, poorly laid carpet will stretch resulting in a wave or ripple. This usually occurs over the entire width of the room




Pile reversal/watermarking

- When carpet fibers lean in different directions
- Effect of pile reversal changes depending on the angle at which you look at the carpet





Pile reversal



Abrasion/Wear

- Dull dark areas caused by scratching of the fibres from particular soils. Will appear to improve when carpet is wet
- When carpet it worn, the carpet fibres become rough and don't reflect light resulting in a dark appearance in the carpet. Think gloss vs matt finish with paint
- Often accompanied by some permanent staining from soiling photos required