SAFETY DATA SHEET



INSTAGLOSS

APPLIED PRODUCTS AUSTRALIA PTYLTD

Catalogue number: **AP422** Version No: EP**1.2**

Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

	NAME OF THE OF T
Product name	INSTAGLOSS
Synonyms	AP422
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses High Gloss Polymer floor dressing

Details of the manufacturer/importer

Registered company name	APPLIED PRODUCTS AUSTRALIA PTY LTD
Address	11 Gamma Close, Beresfield 2322 NSW Australia
Telephone	(02) 4966 5516
Fax	(02) 4966 5510
Website	www.actichem.com.au
Email	info@actichem.com.au

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 11 26
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

 ${\it HAZARDOUS\ CHEMICAL.\ NON-DANGEROUS\ GOODS.\ According\ to\ the\ Model\ WHS\ Regulations\ and\ the\ ADG\ Co\ de\ .}$

Poisons Schedule	Not Applicable
GHS Classification [1]	Skin Corrosion/Irritation Category 2,
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

Label elements

GHS label elements



SIGNAL WORD | WARNING

SIGNAL WORD WARN

Hazard statement(s)

H315 Causes skin irritation

Precautionary statement(s) Prevention

P273	Avoid release to the environment.
P280	Wear protective gloves.

Product Code: AP422 Version No: EP1.2

Issue Date: 02/11/2016 Print Date: 02/11/2016

Precautionary statement(s) Response

P302+P352+P332+P313	IF ON SKIN: Wash with plenty of water and soap. If skin irritation occurs, get medical advice/attention.
P362	Take off contaminated clothing.

Precautionary statement(s) Storage

Precautionary statement(s) Disposal

P501 Dispose of contents / container according to local government regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name	
84-74-2	<10	dibutyl phthalate	
9010-77-9	30-60	ethylene/ acrylic acid copolymer	
Not Available	<10	Proprietary emulsion	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: ► Immediately remove all contaminated clothing, including footwear. ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- Water spray or fog.
- Foam.
- Dry chemical powder.
- ▶ BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility

▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Advice for firefighters

Product is not flammable.

Alert Fire Brigade and tell them location and nature of hazard Wear full body protective clothing with breathing apparatus.

Prevent, by any means available, spillage from entering drains or water course.

Use water delivered as a fine spray to control fire and cool adjacent area.

Fire fighting Avoid spraying water onto liquid pools.

DO NOT approach containers suspected to be hot.

Cool fire exposed containers with water spray from a protected location.

If safe to do so, remove containers from path of fire.

Product Code: AP422
Version No: EP1.2

Combustible.

Slight fire hazard when exposed to heat or flame.

Heating may cause expansion or decomposition leading to violent rupture of containers.

May emit acrid smoke.

Mists containing combustible materials may be explosive.

Combustion products include: carbon dioxide (CO2), carbon monoxide (CO) and other pyrolysis products typical of burning organic material

Issue Date: 02/11/2016

Print Date: 02/11/2016

May emit corrosive fumes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills

Fire/Explosion Hazard

- ▶ Attend to spill immediately.
- ▶ Flush away with copious amounts of water.

Major Spills

- Moderate hazard.

 Prevent, by any means available, spillage from entering drains or water course.
- ▶ Increase ventilation.
- Stop leak if safe to do so.
- ▶ Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations.
- Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area but avoid drafts carrying dust. Prevent concentration in hollows and sumps. Avoid contact with incompatible materials. When handling DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers.
Other information	Store in original containers. Keep containers securely sealed. No smoking, naked lights or ignition sources. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this MSDS.

Conditions for safe storage, including any incompatibilities

Storage incompatibility	May react with strong acids, strong oxidisers, permanganates and nitrates. Attacks some forms of plastics Avoid reaction with oxidising agents			
Suitable container	Polyethylene or polypropylene container. Packaging as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.			

PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	dibutyl phthalate	Dibutyl phthalate	5 mg/m3	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
dibutyl phthalate	Dibutyl phthalate	15 mg/m3	31 mg/m3	9300 mg/m3

Ingredient	Original IDLH	Revised IDLH
dibutyl phthalate	9,300 mg/m3	4,000 mg/m3

Issue Date: **02/11/2016**

Print Date: 02/11/2016

Product Code: AP422 Version No: EP1.2

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate If ventilation is poor, then the use of a local exhaust ventilation system is recommended. Avoid strong drafts after the dressing has been spread as these can cause dust to settle on the wet dressing.
Personal protection	
Eye and face protection	If splashing is likely it is recommended that safety glasses with side shields should be worn.
Skin protection	See Hand protection below
Hands/feet protection	Wear chemical protective gloves, e.g. PVC.
Body protection	See Other protection below
Other protection	Not usually necessary.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Opaque	white liquid		
Physica	l state	Liquid	Relative density (Water = 1)	Not Available
(Odour	Mild	Molecular weight (g/mol)	Not Available
Odour thre	shold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as sup	plied)	8.5	Decomposition Temperature	Not Available
Maldan a alat (for sala a a ala	-4 (OC)	Not Available	Viscosity (cSt)	Not Available

		3 (3 ,	
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	8.5	Decomposition Temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Partition coefficient n-octanol / water	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not flammable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.		
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.		
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition.		
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).		
Chronic	No relevant information is available.		

Product Code: AP422 Version No: EP1.2 Issue Date: **02/11/2016** Print Date: **02/11/2016**

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Harmful to aquatic organisms.

DO NOT discharge into sewer or waterways

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
dibutyl phthalate	LOW (Half-life = 23 days)	LOW (Half-life = 3.08 days)

Bio accumulative potential

Ingredient	Bioaccumulation
dibutyl phthalate	LOW (BCF = 176)

Mobility in soil

Ingredient	Mobility
dibutyl phthalate	LOW (KOC = 1460)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

▶ Product and containers should be disposed of in accordance with local government regulations.

SECTION 14 TRANSPORT INFORMATION

HAZCHEM

Not Applicable

Land transport (Not Applicable): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

dibutyl phthalate(84-74-2) is found on the following regulatory lists

 $'Australia\ Exposure\ Standards', 'Australia\ Hazardous\ Substances\ Information\ System\ -\ Consolidated\ Lists'$

ethylene/ acrylic acid copolymer(9010-77-9) is found on the following regulatory lists

'Not Applicable'

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at: www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700