# **SAFETY DATA SHEET**



# **E-DRY E-CTR**

### **ELECTRODRY CARPET CLEANING**

Catalogue number: **ED490** Version No: **2.1.1** Issue date: **08/07/2024** 

Safety Data Sheet according to WHS and ADG requirements

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### Product Identifier

Product name	E-DRY E-CTR
Product code	ED490
Pack sizes	500ml & 5L

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Coffee and tannin stain remover

### Details of the supplier of the safety data sheet

Registered company name	ELECTRODRY CARPET CLEANING
Address	4 Coal Wash Dr, Mayfield, NSW, 2304.
Telephone	13 27 13
Website	www.electrodry.com.au
Email	info@electrodry.com.au

### Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

### **SECTION 2 HAZARDS IDENTIFICATION**

### Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable	
GHS Classification	Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1	
	Classification drawn from HCIS and ECHA C&L Inventory.	

### Label elements

Hazard pictogram



SIGNAL WORD

DANGER

#### Hazard statement(s)

H315	Causes skin irritation
H318	Causes serious eye damage

# Precautionary statement(s) Prevention

P280	Wear protective gloves and eye protection.
P264	Wash hands thoroughly after handling.

Product Code: ED490 E-DF
Version No: 2.1.1

#### Precautionary statement(s) Response

P305+P310+P351+P338 IF IN EYES: Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P362+P352+P332+P313

IF ON SKIN: Take off contaminated clothing and wash before reuse. Wash with plenty of soap and water. If skin irritation occurs, get medical advice / attention.

Issue Date: 08/07/2024

### Precautionary statement(s) Storage

Not Applicable

#### Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### Substances

See section below for composition of Mixtures

#### **Mixtures**

CAS No	%[weight]	Name
7681-57-4	<10	sodium metabisulfite
79-14-1	<10	glycolic acid
111-76-2	<10	ethylene glycol monobutyl ether
67-63-0	<10	isopropanol

#### **SECTION 4 FIRST AID MEASURES**

#### Description of first aid measures

occupation of mot ala mo	201.00
Eye Contact	If this product comes in contact with eyes:  Obtain medical advice / attention without delay Immediately hold eyelids apart and flush the eye continuously with running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.  If necessary, transport to hospital or doctor without delay.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	If fumes, aerosols or combustion products are inhaled remove from contaminated area.  Other measures are usually unnecessary.
Ingestion	Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

#### Indication of any immediate medical attention and special treatment needed

organic material

May emit corrosive fumes.

Treat symptomatically.

### **SECTION 5 FIREFIGHTING MEASURES**

Extinguishing	media
---------------	-------

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

### Special hazards arising from the substrate or mixture

Fire incompatibility None known

#### Advice for firefighters

	Alert Fire Brigade and tell them location and nature of hazard.  Wear breathing apparatus plus protective gloves in the event of a fire.  Prevent, by any means available, spillage from entering drains or water courses  Use firefighting procedures suitable for surrounding area.
Fire fighting	DO NOT approach containers suspected to be hot.  Cool fire exposed containers with water spray from a protected location.  If safe to do so, remove containers from path of fire.  Equipment should be thoroughly decontaminated after use.  Slight hazard when exposed to heat, flame and oxidisers.
Fire/Explosion Hazard	Non-combustible.  Not considered to be a significant fire risk.  Expansion or decomposition on heating may lead to violent rupture of containers.

Decomposes on heating and may produce toxic fumes of carbon monoxide (CO), carbon dioxide (CO2) and other pyrolysis products typical of burning

### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

Minor Spills	Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
<b>Major Spills</b>	Control personal contact with the substance, by using protective equipment as required.  Prevent spillage from entering drains or water ways.  Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations.  Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.
PPE	Personal Protective Equipment advice is contained in Section 8 of the SDS

### **SECTION 7 HANDLING AND STORAGE**

#### Precautions for safe handling

Safe handling	Avoid all personal contact, including inhalation.  Wear protective clothing when risk of exposure occurs.  Use in a well-ventilated area.  DO NOT allow material to contact humans, exposed food or food utensils.  Avoid contact with incompatible materials.  When handling, DO NOT eat, drink or smoke.  Keep containers securely sealed when not in use.  Avoid physical damage to containers.
Other information	Store away from incompatible materials.

# Conditions for safe storage, including any incompatibilities

Suitable container	Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known

# **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

# Control parameters

### OCCUPATIONAL EXPOSURE LIMITS (OEL)

### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	sodium metabisulfite	Sodium Metabisulphite	5mg/m3	Not available	Not Available	Not Available
Australia Exposure Standards	ethylene glycol monobutyl ether	2-Butoxyethanol	96.9 mg/m3 / 20 ppm	242 mg/m3 / 50 ppm	Not Available	Sk
Australia Exposure Standards	isopropanol	Isopropyl alcohol	983 mg/m3 / 400 ppm	1230 mg/m3 / 500 ppm	Not Available	Not Available

#### EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
sodium metabisulfite	Sodium Metabisulphite	5 mg/m3	5 mg/m3	220 mg/m3
Glycolic acid	Glycolic acid; (Hydroxyacetic acid)	4.7 mg/m3	51 mg/m3	390 mg/m3
ethylene glycol monobutyl ether	2-Butoxyethanol	20 ppm	20 ppm	700 ppm
isopropanol	Isopropyl alcohol	400 ppm	400 ppm	12000 ppm

Ingredient	Original IDLH	Revised IDLH
sodium metabisulfite	Not Available	Not Available
Glycolic acid	Not Available	Not Available
ethylene glycol monobutyl ether	700 ppm	700 [Unch] ppm
isopropanol	12000 ppm	2000 [LEL] ppm

Exposure controls	
Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate. If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	
Eye and face protection	Safety glasses with side shields OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation Lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	Wear chemical protective gloves, e.g. PVC.
Body protection	See Other protection below
Other protection	Overalls. P.V.C. apron. Barrier cream. Skin cleansing cream. Eye wash unit.
Thermal hazards	Not Available

### **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

### Information on basic physical and chemical properties

Appearance	Clear colourless liquid		
Physical state	Liquid	Relative density (Water = 1)	1.0
Odour	Pungent odour	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	2.7	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials.  Product is considered stable.  Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 TOXICOLOGICAL INFORMATION**

### Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).  Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition Skin contact is not thought to have harmful health effects (as classified under EC Directives). Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Еуе	If applied to the eyes, this material causes severe eye damage. Isopropanol vapour may cause mild eye irritation. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Eye contact may cause tearing or blurring of vision.
Chronic	No applicable data.

### Toxicological effects of ingredients

Sodium metabisulfite  Acute toxicity  Skin corrosion/irritation  Eye damage/irritation  Respiratory/skin sensitization  Germ cell mutagenicity  Not classified. Based on available data, the classification criteria are not met  Carcinogenicity  Not classified. Based on available data, the classification criteria are not met  Carcinogenicity  Not classified. Based on available data, the classification criteria are not met  Carcinogenicity  Not classified. Based on available data, the classification criteria are not met  Reproductive toxicity  Not classified. Based on available data, the classification criteria are not met  STOT (single exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  Aspiration toxicity  Not classified. Based on available data, the classification criteria are not met  Aspiration toxicity  Not classified. Based on available data, the classification criteria are not met  Aspiration toxicity  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  Cacuses severe burns. Risk of serious eye damage. Will affect Eyes with Corrosion, Ulce damage  No data available	ration. May cause irreversible eve
Eye damage/irritation  Respiratory/skin sensitization  Germ cell mutagenicity  Not classified. Based on available data, the classification criteria are not met  Carcinogenicity  Not classified. Based on available data, the classification criteria are not met  Reproductive toxicity  Not classified. Based on available data, the classification criteria are not met  Reproductive toxicity  Not classified. Based on available data, the classification criteria are not met  STOT (single exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  Not classified. Based on available data, the classification criteria are not met  Aspiration toxicity  Not classified. Based on available data, the classification criteria are not met  Oral LD50 (rat) 2040 mg/kg Inhalation LC50 (rat) 7100 mg/m3 4h  Skin corrosion/irritation  Eye damage/irritation  Causes severe burns. Risk of serious eye damage. Will affect Eyes with Corrosion, Ulce damage  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  Aspiration toxicity  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  Causes severe burns. Risk of serious eye damage. Will affect Eyes with Corrosion, Ulce damage  Respiratory/skin	ration. May cause irreversible eve
Respiratory/skin sensitization  Germ cell mutagenicity  Not classified. Based on available data, the classification criteria are not met  Carcinogenicity  Not classified. Based on available data, the classification criteria are not met  Reproductive toxicity  Not classified. Based on available data, the classification criteria are not met  Reproductive toxicity  Not classified. Based on available data, the classification criteria are not met  STOT (single exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  Aspiration toxicity  Not classified. Based on available data, the classification criteria are not met  Aspiration toxicity  Not classified. Based on available data, the classification criteria are not met  Aspiration toxicity  Not classified. Based on available data, the classification criteria are not met  Oral LD50 (rat) 2040 mg/kg Inhalation LC50 (rat) 7100 mg/m3 4h  Skin corrosion/irritation  Eye damage/irritation  Causes severe burns. Risk of serious eye damage. Will affect Eyes with Corrosion, Ulce damage  Respiratory/skin  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repea	ration. May cause irreversible eve
Sensitization  Germ cell mutagenicity  Not classified. Based on available data, the classification criteria are not met  Carcinogenicity  Not classified. Based on available data, the classification criteria are not met  Reproductive toxicity  Not classified. Based on available data, the classification criteria are not met  STOT (single exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  Aspiration toxicity  Not classified. Based on available data, the classification criteria are not met  Aspiration toxicity  Not classified. Based on available data, the classification criteria are not met  Oral LD50 (rat) 2040 mg/kg Inhalation LC50 (rat) 7100 mg/m3 4h  Skin corrosion/irritation  Eye damage/irritation  Causes severe burns. Risk of serious eye damage. Will affect Eyes with Corrosion, Ulce damage  Respiratory/skin  No data available	ration. May cause irreversible eve
Carcinogenicity Not classified. Based on available data, the classification criteria are not met Reproductive toxicity Not classified. Based on available data, the classification criteria are not met STOT (single exposure) Not classified. Based on available data, the classification criteria are not met STOT (repeated exposure) Not classified. Based on available data, the classification criteria are not met Aspiration toxicity Not classified. Based on available data, the classification criteria are not met Aspiration toxicity Oral LD50 (rat) 2040 mg/kg Inhalation LC50 (rat) 7100 mg/m3 4h Skin corrosion/irritation Eye damage/irritation Causes severe burns. Risk of serious eye damage. Will affect Eyes with Corrosion, Ulce damage Respiratory/skin No data available	ration. May cause irreversible eve
Reproductive toxicity Not classified. Based on available data, the classification criteria are not met STOT (single exposure) Not classified. Based on available data, the classification criteria are not met STOT (repeated exposure) Not classified. Based on available data, the classification criteria are not met Aspiration toxicity Not classified. Based on available data, the classification criteria are not met  glycolic acid Acute toxicity Oral LD50 (rat) 2040 mg/kg Inhalation LC50 (rat) 7100 mg/m3 4h Skin corrosion/irritation Severe skin irritation Causes severe burns. Risk of serious eye damage. Will affect Eyes with Corrosion, Ulce damage Respiratory/skin No data available	ration. May cause irreversible eve
STOT (single exposure)  Not classified. Based on available data, the classification criteria are not met  STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  Aspiration toxicity  Not classified. Based on available data, the classification criteria are not met  Oral LD50 (rat) 2040 mg/kg Inhalation LC50 (rat) 7100 mg/m3 4h  Skin corrosion/irritation  Eye damage/irritation  Respiratory/skin  No data available  No data available	ration. May cause irreversible eve
STOT (repeated exposure)  Not classified. Based on available data, the classification criteria are not met  Aspiration toxicity  Not classified. Based on available data, the classification criteria are not met  glycolic acid  Acute toxicity  Oral LD50 (rat) 2040 mg/kg Inhalation LC50 (rat) 7100 mg/m3 4h  Skin corrosion/irritation  Eye damage/irritation  Respiratory/skin  No data available	ration. May cause irreversible eve
Aspiration toxicity  Not classified. Based on available data, the classification criteria are not met  glycolic acid  Acute toxicity  Oral LD50 (rat) 2040 mg/kg Inhalation LC50 (rat) 7100 mg/m3 4h  Skin corrosion/irritation  Eye damage/irritation  Causes severe burns. Risk of serious eye damage. Will affect Eyes with Corrosion, Ulce damage  Respiratory/skin  No data available	ration. May cause irreversible eve
glycolic acid  Acute toxicity Oral LD50 (rat) 2040 mg/kg Inhalation LC50 (rat) 7100 mg/m3 4h Skin corrosion/irritation Eye damage/irritation Causes severe burns. Risk of serious eye damage. Will affect Eyes with Corrosion, Ulce damage Respiratory/skin No data available	ration. May cause irreversible eve
Skin corrosion/irritation  Eye damage/irritation  Causes severe burns. Risk of serious eye damage. Will affect Eyes with Corrosion, Ulce damage  Respiratory/skin  No data available	ration. May cause irreversible eve
Eye damage/irritation  Causes severe burns. Risk of serious eye damage. Will affect Eyes with Corrosion, Ulce damage  Respiratory/skin  No data available	ration. May cause irreversible eve
Respiratory/skin No data available	ration. May cause irreversible eve
	, may cause interestable type
sensitization No data available	
Germ cell mutagenicity No adverse effects observed	
Carcinogenicity Not carcinogenic	
Reproductive toxicity Not toxic to reproduction	
STOT (single exposure) Material is extremely destructive to tissue of the mucous membranes and upper respirate	ory tract
STOT (repeated exposure) No data available	
Aspiration toxicity No data available	
ethylene glycol monobutyl Acute toxicity Oral LD50 (guinea pig) 1414 mg/kg Dermal LD50 (guinea pig) >2000 mg/kg Inhalation	LC0 >3.1 mg/l>641 ppm 1h
ether Skin corrosion/irritation Causes skin irritation.	
Eye damage/irritation Causes serious eye irritation.	
Respiratory/skin sensitization Not classified No study available.	
Germ cell mutagenicity Not classified	
Carcinogenicity Not classified	
Reproductive toxicity Not classified	
STOT (single exposure) High concentrations may cause central nervous system depression	
STOT (repeated exposure) Based on repeated exposure toxicity values, not classified	
Aspiration toxicity Based on physico-chemical values or lack of human evidence. Not classified	
isopropanol Acute toxicity Oral LD50 (rat) 5045 – 5840 mg/kg Dermal LD50 (rabbit) 12800 mg/kg Inhalation LC50	(rat) 16000 ppm/8h
Skin corrosion/irritation May be irritating to skin	
Eye damage/irritation Causes serious eye irritation	
Respiratory/skin sensitization  Not expected to be a sensitizer	
Germ cell mutagenicity Not considered to be a mutagenic hazard	
Carcinogenicity Not considered to be a carcinogenic hazard.	
Reproductive toxicity Not considered to be toxic to reproduction	
STOT (single exposure) May cause drowsiness or dizziness	
STOT (repeated exposure)  Not expected to cause toxicity to a specific organ	
Aspiration toxicity Not expected to be an aspiration hazard	

Issue Date: 08/07/2024

Product Code: **ED490** Version No: **2.1.1** 

### **SECTION 12 ECOLOGICAL INFORMATION**

### Toxicity

Oxicity				
	Endpoint	Duration (Hr.)	Species	Value
sodium metabisulfite	LC50	96	Fish	=21mg/L
	EC50	48	Crustacea	89mg/L
	EC50	96	Algae or other aquatic plants	=40mg/L
	EC20	96	Algae or other aquatic plants	=20mg/L
	NOEC	504	Crustacea	>10mg/
glycolic acid	LC50	96	Fish	>5-mg/L
	EC50	48	Crustacea	141mg/L
	EC50	72	Algae or other aquatic plants	21.6mg/L
	NOEC	72	Algae or other aquatic plants	10mg/L
ethylene glycol monobutyl	LC50	96	Fish	1-250mg/L
ether	EC50	48	Crustacea	>1-mg/L
	EC50	96	Algae or other aquatic plants	>1-mg/L
	NOEC	24	Crustacea	>1-mg/L
isopropanol	LC50	96	Fish	9-640mg/L
	EC50	48	Crustacea	12500mg/L
	EC50	72	Algae or other aquatic plants	>1000mg/L
	EC0	24	Crustacea	5-102mg/L
	NOEC	504	Crustacea	=30mg/L

The product is not considered to be ecotoxic.

DO NOT discharge into sewer or waterways

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
glycolic acid	LOW	LOW
ethylene glycol monobutyl ether	LOW (Half-life = 56 days)	LOW (Half-life = 1.37 days)
isopropanol	LOW (Half-life = 14 days)	LOW (Half-life = 3 days)

#### Bio accumulative potential

•	
Ingredient	Bioaccumulation
glycolic acid	LOW (LogKOW = -1.11)
ethylene glycol monobutyl ether	LOW (BCH = 2.51)
isopropanol	LOW (LogKOW = -0.05)

### Mobility in soil

Ingredient	Mobility
glycolic acid	HIGH (KOC = 1)
ethylene glycol monobutyl ether	HIGH (KOC = 1))
isopropanol	HIGH (KOC = 1.06)

### **SECTION 13 DISPOSAL CONSIDERATIONS**

# Waste treatment methods

Product / packaging disposal

Recycle containers whenever possible.

Product residues and containers should

Product residues and containers should be disposed of in accordance with local government regulations

### **SECTION 14 TRANSPORT INFORMATION**

## Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### **SECTION 15 REGULATORY INFORMATION**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### SODIUM METABISULFITE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5 Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC

#### GLYCOLIC ACID IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

Australian Inventory of Industrial Chemicals (AIIC)

#### ETHYLENE GLYCOL MONOBUTYL ETHER IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) – Agents classified by AIRC monographs

#### ISOPROPANOL IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

#### **SECTION 16 OTHER INFORMATION**

#### **Revision Schedule**

Revision Date	08/07/2024	
Initial Date	08/12/2016	

#### **SDS Version Summary**

Version	Issue Date	Sections Updated
2.1	09/04/2021	Sections 2, 3, 11, 12, 15, 16 have been updated or corrected
2.1.1	08/07/2024	Name change

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of ELECTRODRY CARPET CLEANING and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes.

#### **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Government Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit IDLH: Immediate Danger to Life or Health Concentrations

OSF: Odour Safety Factor NOAEL: No Observed Effects Level TLV Threshold Limit Value LOD Limit Of Detection OTV Odour Threshold Value BCF: **Bio Concentration Factors** 

BEI: Biological Exposure Index

This document is copyright

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from ELECTRODRY CARPET CLEANING.

**End of SDS**