SAFETY DATA SHEET



INSTAGLOSS

ACTICHEM PTYLTD

Catalogue number: AP422 Version No: 2.3 Issue date: 17/05/2022

Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	INSTAGLOSS	
Product code	AP422	
Pack sizes	1L; 5L & 15L	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	High gloss polymer floor coating

Details of the manufacturer/importer

Registered company name	ACTICHEM PTY LTD	
Address	11 Gamma Close, Beresfield 2322 NSW Australia	
Telephone	(02) 4966 5516	
Website	www.actichem.com.au	
Email	info@actichem.com.au	

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable	
GHS Classification	Reproductive Toxicity Category 1B, Skin Sensitizer Category 1B,	
	Classification drawn from HCIS and ECHA C&L Inventory.	

Label elements

Hazard pictograms





SIGNAL WORD	DANGER
-------------	--------

Hazard	statem	nent(s)

	H317	May cause allergic skin reaction	
H360Df May damage the unborn child. Suspected of damaging fertility			

Precautionary statement(s) Prevention

1 reconstruity statement(s) 1 revenuent		
P201	Obtain special instructions before use.	
P202	o not handle until all safety precautions have been read and understood	
P281	Wear protective gloves/protective clothing/eye protection/face protection.	
P261	Avoid breathing mist/vapours/spray.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment	

Product Code: AP422 Version No: 2.3

Precautionary	statement((s)	Response
---------------	------------	-----	----------

P302+P352+P333+P313	IF ON SKIN: Wash with plenty of water and soap. If skin irritation or rash occurs, get medical advice/attention.	
P363	Wash contaminated clothing before reuse.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	

Precautionary statement(s) Storage

P405 Store locked up

Precautionary statement(s) Disposal

P501

Dispose of contents / container according to local government regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
84-74-2	<10	dibutyl phthalate
9010-77-9	30-60	ethylene/ acrylic acid copolymer
78-51-3	<10	tris(2-butoxyethyl) phosphate

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

Description of first aid measures

	
Eye Contact	If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

Fire fighting

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of

combustible substances. In such an event consider:

foam.

dry chemical powder.

carbon dioxide.

Special hazards arising from the substrate or mixture

Fire incompatibility Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Advice for firefighters

Product is not flammable.

Alert Fire Brigade and tell them location and nature of hazard

Wear full body protective clothing with breathing apparatus.

Prevent, by any means available, spillage from entering drains or water course.

Use water delivered as a fine spray to control fire and cool adjacent area.

Avoid spraying water onto liquid pools.

DO NOT approach containers suspected to be hot.

Cool fire exposed containers with water spray from a protected location.

If safe to do so, remove containers from path of fire.

Product Code: AP422
Version No: 2.3

Slight fire

Combustible.
Slight fire hazard when exposed to heat or flame.

Heating may cause expansion or decomposition leading to violent rupture of containers.

Fire/Explosion Hazard May emit acrid smoke.

Mists containing combustible materials may be explosive.

Combustion products include: carbon dioxide (CO2), carbon monoxide (CO) and other pyrolysis products typical of burning organic material

Issue Date: 17/05/2022

May emit corrosive fumes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills	Attend to spill immediately. Flush away with copious amounts of water.
Major Spills	Moderate hazard. Prevent, by any means available, spillage from entering drains or water course. Increase ventilation. Stop leak if safe to do so. Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations. Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.
PPE	Personal Protective Equipment advice is contained in Section 8 of the SDS

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

r recautions for sale fianti	ing
Safe handling	DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area but avoid drafts carrying dust. Prevent concentration in hollows and sumps. Avoid contact with incompatible materials. When handling DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers.
Other information	Store in original containers. Keep containers securely sealed. No smoking, naked lights or ignition sources. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	Polyethylene or polypropylene container. Packaging as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	May react with strong acids, strong oxidisers, permanganates and nitrates. Attacks some forms of plastics Avoid reaction with oxidising agents

PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	dibutyl phthalate	Dibutyl phthalate	5 mg/m3	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
dibutyl phthalate	Dibutyl phthalate	15 mg/m3	31 mg/m3	9300 mg/m3

Ingredient	Original IDLH	Revised IDLH
dibutyl phthalate	9,300 mg/m3	4,000 mg/m3

Product Code: AP422 INSTAGL
Version No: 2.3

Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate If ventilation is poor, then the use of a local exhaust ventilation system is recommended. Avoid strong drafts after the dressing has been spread as these can cause dust to settle on the wet dressing.
Personal protection	
Eye and face protection	If splashing is likely it is recommended that safety glasses with side shields should be worn.
Skin protection	See Hand protection below
Hands/feet protection	Wear chemical protective gloves, e.g. PVC.
Body protection	See Other protection below
Other protection	Not usually necessary.
Thermal hazards	Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

F-1			
Appearance	Opaque white liquid		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Mild	Molecular weight (g/mol)	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	8.5	Decomposition Temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Partition coefficient n- octanol / water	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not flammable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit(%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition.
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).
Chronic	No relevant information is available.

Product Code: AP422 Version No: 2.3

oxicological effects of ingr	edients	
dibutyl phthalate	Acute toxicity	Oral LD50 (rat): 6300 mg/kg Dermal LD50 (rabbit): >4000 mg/kg Inhalation LC50 (rat): >15 mg/L/4h
	Skin corrosion/irritation	Non-irritant (rabbit).
	Eye damage/irritation	Non-irritant (rabbit).
	Respiratory/skin sensitization	not sensitising
	Germ cell mutagenicity	no adverse effect observed (negative)
	Carcinogenicity	Not listed as carcinogenic according to the International Agency for Research on Cancer (IARC).
	Reproductive toxicity	May damage fertility or the unborn child.
	STOT (single exposure)	No available data
	STOT (repeated exposure)	No available data
	Aspiration toxicity	No available data
ethylene/ acrylic acid	Acute toxicity	Oral LD50 (rat) >5000 mg/kg (estimated) Dermal LD50 (rabbit) >5000 mg/kg (estimated) [Both based on information for components]
copolymer	Skin corrosion/irritation	Brief contact may cause skin irritation with local redness
	Eye damage/irritation	May cause slight eye irritation
	Respiratory/skin sensitization	Skin contact may cause an allergic skin reaction
	Germ cell mutagenicity	No relevant data found
	Carcinogenicity	No relevant data found
	Reproductive toxicity	No relevant data found
	STOT (single exposure)	Evaluation of available data suggests that this material is not an STOT-SE toxicant
	STOT (repeated exposure)	No relevant data found
	Aspiration toxicity	Based on physical properties, not likely to be an aspiration hazard
Tributoxy ethyl phosphate	Acute toxicity	Oral LD50 (rat) 3000 mg/kg
	Skin corrosion/irritation	Draize Test, Rabbit Skin: 500mg/24hr Mild May be harmful if absorbed through skin. Causes skin irritation.
	Eye damage/irritation	Draize Test, Rabbit, Eye: 500mg/24hr Mild Causes eye irritation.
	Respiratory/skin sensitization	No available data
	Germ cell mutagenicity	No available data
	Carcinogenicity	Not listed as a carcinogen
	Reproductive toxicity	No available data
	STOT (single exposure)	No available data
	STOT (repeated exposure)	No available data
	Aspiration toxicity	No available data

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

TOXICITY				
	Endpoint	Duration (hr.)	Species	Value
Zinc ammonia carbonate	LC50	96	Oncorhynchus mykiss (rainbow trout)	> 0.1 - 1 mg/l
complex - (component of	EC50	48	Ceriodaphnia dubia (water flea)	1.2 mg/l
ethylene/ acrylic acid copolymer)	EC50	72	Pseudokirchneriella subcapitata (green algae)	0.403 mg/l
	NOEC	72	Pseudokirchneriella subcapitata (green algae)	0.056 mg/l
Ammonium hydroxide	LC50	96	Lepomis macrochirus (Bluegill sunfish)	0.87 mg/l
(component of ethylene/ acrylic	LC50	96	Pimephales promelas (fathead minnow)	1.2 mg/l
acid copolymer)	EC50	48	Daphnia magna (Water flea),	0.66 mg/l
dibutyl phthalate	C50	96	Fish	ca.0.48mg/L
	EC50	48	Crustacea	>0.003mg/L
	EC50	96	Algae or other aquatic plants	0.4mg/L
	BCF	936	Not Available	23.625-mg/L
	EC10	48	Crustacea	>0.003mg/L
	NOEC	1488	Not Available	-0.00053-0.00175mg/L

On the basis of available evidence concerning either toxicity, persistence, potential to accumulate and or observed environmental fate and behaviour, the material may present a danger, immediate or long-term and /or delayed, to the structure and/ or functioning of natural ecosystems.

DO NOT discharge into sewer or waterways. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
dibutyl phthalate	LOW (Half-life = 23 days)	LOW (Half-life = 3.08 days)

Bio accumulative potential

Ingredient	Bioaccumulation
dibutyl phthalate	LOW (BCF = 176)

Mobility in soil

Ingredient	Mobility
dibutyl phthalate	LOW (KOC = 1460)

Product Code: AP422 Version No: 2.3

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / packaging disposal Product and containers should be disposed of in accordance with local government regulations

SECTION 14 TRANSPORT INFORMATION

Land transport (Not Applicable): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

DIBUTYL PHTHALATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

ETHYLENE/ ACRYLIC ACID COPOLYMER IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australian Inventory of Industrial Chemicals (AIIC)

TRIS(2-BUTOXYETHYL) PHOSPHATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australian Inventory of Industrial Chemicals (AIIC)

SECTION 16 OTHER INFORMATION

Revision Schedule

Revision Date	17/05/2022
Initial Date	02/11/2019

SDS Version Summary

Version	Issue Date	Sections Updated
2.1	21/12/2020	Sections 2, 5, 8, 9, 11,12,15,16 have been updated or corrected
2.2	02/07/2021	Section 16
2.3	17/05/2022	Sections 3, 11, 15.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate, based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of ACTICHEM PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit International Agency for Research on Cancer ACGIH: American Conference of Government Industrial Hygienists STEL: Short Term Exposure Limit

Temporary Emergency Exposure Limit

IDI H: Immediate Danger to Life or Health Concentrations

OSF: Odour Safety Factor NOAEL: No Observed Effects Level TLV: Threshold Limit Value Limit Of Detection OTV Odour Threshold Value BCF: Bio Concentration Factors BEI: Biological Exposure Index

This document is copyright

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from ACTICHEM PTY LTD.